

# ASSEMBLY INSTRUCTIONS

## ITEM DESCRIPTION:

ITEM NO.: DWC36

NAME: DIPPER SCONCE

MATERIAL TYPE: METAL

FINISH: CHATTERED ANTIQUE BRASS


SOCKET TYPE: E26

SOCKET QTY: 1

BULB WATTAGE: 60W /13W CFL /8W LED

VOLTAGE: 110V-120V

ITEM NET WEIGHT: 4.3LBS



## TO ASSEMBLE:

1. Shut off the main electrical supply from the main fuse box/circuit breaker.
2. Attach mounting plate(A) to wall or junction box using mounting screws (J).
3. Connect ground wire from wall to ground wire from lamp by using wire caps (K).
4. Attach house wire to lamp wires as shown. Fasten the pairs together with a wire caps (K) DO NOT REVERSE THE HOT AND NEUTRAL CONNECTIONS OR SAFETY WILL BE COMPROMISED.
5. Attach Back Plate(C) to Mounting Plate (A) through the predrilled holes, then fix by using the Canopy Nut Screw(B)
6. Insert 1 TYPE-A 60W /13W CFL /8W LED bulb(not included) into socket(H). DO NOT EXCEED SPECIFIED WATTAGE OF SCONCE.
7. Lift the metal cap(F) and knurled metal ring(I) and put the bracket(G) inside the glass shade (E) at an angle. Then put down the metal cap(F) to cover the top of the glass shade(E), then tighten the knurled metal ring (I) in a clockwise direction to secure the glass shade.
8. Restore power to junction box and test fixture.

## PARTS INCLUDED:

Mounting Plate (A)	Qty: 1Pc	Metal Cap (F)	Qty: 1Pc
Canopy Nut Screw (B)	Qty: 2Pcs	Bracket (G)	Qty: 1Pc
Back Plate (C)	Qty: 1Pc	Socket (H)	Qty: 1Pc
Glass shade (E)	Qty: 1Pc	Knurled Metal Ring (I)	Qty: 1Pc

## HARDWARE INCLUDED:



Mounting Screws(J)	Qty: 2Pcs
Plastic Wire Cap(K)	Qty: 3Pcs

## TOOLS NEEDED (Not Included):

1 Screwdriver

These instructions are provided for safety. It is very important that they are read carefully and completely before beginning installation.

We strongly suggest that all hard-wired fixtures must be installed by a professional electrician.



## CARE INSTRUCTIONS:

Wipe with a soft, dry cloth. To protect finish, avoid the use of chemicals and household cleaners.

For customer service questions call 1-800-338-2150

ARTERIO RS