

FLOS

■ FU763030 Black


Toio Led

Designed by Achille and Pier Giacomo Castiglioni, 1962

LED retrofit - 25W



Its designers named it for the English word for "toy," for good reason: This inventive lamp inspires the imagination, blending an industrial style with a timeless and whimsical design. It's easy to see why this legendary favorite—designed by the famed Castiglioni brothers—has garnered so many awards, even earning a place in the permanent collection at the Museum of Modern Art in New York. The Toio floor lamp has an enamel steel base that supports a hexagon shaped, nickel-plated brass stem. Along the stem are fishing rod rings used to guide the electrical cord from the bulb to the transformer. A cleat on the base, like that found on a boat or ship, serves as a functional element designed to keep the cord neatly coiled in when the lamp is adjusted to a lower height. In this version Toio comes with an LED bulb and provides indirect light. Adjustable height. Available in black, red or white finish. Inspiration behind the design: The contemporary floor lamp was designed by brothers Achille and Pier Giacomo Castiglioni, who were inspired by a car's headlight.



Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)

Main specifications

EAN	8059607035887
Mounting	Floor
Environments	Indoor dry location
Light Source Type	Bulb
Lamp category	LED retrofit
Lamp type	PAR56
Lamp holders	Gx16d
Number of heads	1
Power (W)	25

Physical

Color	Black
Length (in)	6.69
Cord length (in)	97
Net weight (lb)	19.4
Package height (in)	63.78
Package width (in)	10.24
Package length (in)	11.42
Package volume (in)	7322.88
IP internal	20

Download

[Mounting instructions](#)  PDF

Photometric Files

[LDT / IES](#)  LDT

Technical Drawings

[2D](#)  ZIP


[3D](#)  ZIP



IK
00

IP
20

Schematic light drawing



Beam Angle: 103°

h(m)	E(lx)	D(m)
1	751	2.53
2	188	5.06
3	83	7.59
4	47	10.12
5	30	12.64

Luminous flux luminaire
2072 lm

Photometric


Light distribution

Symmetric

Electrical

Insulation class	II
Frequency (Hz)	60
Main voltage (Vac)	120
LED voltage Vf (Vdc)	null
Dimmable	Yes
Dimming interface	Dimmer Integrated
Plug type	Type A
Batteries inside	No

Bulbs



INCLUDED

RF28283

Toio Led Lamp

Spare Parts



- | | | |
|-----|--|-----------|
| 01. | Nickel plated brass cage | RF02774 |
| 02. | Electrical wiring from transformer to bulb | RF04607 |
| 03. | Rod | RF02775 |
| 04. | Lamp base | RF02580 |
| 08. | 4W -25W Black Led Dimmer | RF28209 |
| 09. | Wire loop assembly | RF7600100 |



RF02774

Nickel plated brass cage



RF04607

Electrical wiring from transformer to bulb



RF02775

Rod



RF02580

Lamp base



RF28209

4W -25W Black Led Dimmer



RF7600100

Wire loop assembly