

NIMBUS WALL

FINISH

satin brass with handmade fritted glass
bronze with handmade fritted glass

DIMENSIONS (body of fixture)

250 x 100 x 320 mm (w x d x h)

WEIGHT

3kg (6.6lbs)

ILLUMINATION

220-240v - 1 x G9 - 2.3w - 2700k - LED ONLY
110-130v - 1 x G9 - 2.3w - 2700k - LED ONLY


DIMMING

dimnable bulb required


WALL ROSE / PLATE

rectangular wall box - 40 x 15 x 80 mm (w x d x h)


CERTIFICATION



mounting plate dimensions



North America junction box cover



*Diagrams are not to scale.

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
NIMWAOBZFG-240	bronze with handmade fritted glass	220 - 240V
NIMWAOSBFG-240	satin brass with handmade fritted glass	220 - 240V
NIMWAOBZFG-110	bronze with handmade fritted glass	110 - 130V
NIMWAOSBFG-110	satin brass with handmade fritted glass	110 - 130V

NIMBUS WALL - DALI-A

FINISH

satin brass with handmade fritted glass
bronze with handmade fritted glass

DIMENSIONS (body of fixture)

250 x 100 x 320 mm (w x d x h)

WEIGHT

3kg (6.6lbs)

ILLUMINATION

220-240v - 1 x G9 - 2.3w - 2700k - LED ONLY

110-130v - 1 x G9 - 2.3w - 2700k - LED ONLY

DALI converter to be installed in the cavity
converter can be placed up to 2m away from the light fixture


DIMMING

DALI compatible


WALL ROSE / PLATE

rectangular wall box - 40 x 15 x 80 mm (w x d x h)


CERTIFICATION



mounting plate dimensions



DALI converter dimensions



*Diagrams are not to scale.

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
NIMWAOBZFG-DALIA-240	bronze with handmade fritted glass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V
NIMWAOSBFG-DALIA-240	satin brass with handmade fritted glass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V

NIMBUS WALL - DALI-B

FINISH

satin brass with handmade fritted glass
bronze with handmade fritted glass

DIMENSIONS (body of fixture)

250 x 110 x 320 mm (w x d x h)

WEIGHT

3kg (6.6lbs)

ILLUMINATION

220-240v - 1 x G9 - 2.3w - 2700k - LED ONLY
110-130v - 1 x G9 - 2.3w - 2700k - LED ONLY
DALI converter to be installed in the wall rose


DIMMING

DALI compatible

WALL ROSE / PLATE

rectangular wall rose - \varnothing 116 x 25 mm (dia x h)

CERTIFICATION



*Diagrams are not to scale.

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
NIMCHLSBFG-DALIB-240	bronze with handmade fritted glass	DALI B included - The light will feature a deeper ceiling/wall rose. For use when there is no space in the existing ceiling/wall cavity	220 - 240V
NIMWAOSBFG-DALIB-240	satin brass with handmade fritted glass	DALI B included - The light will feature a deeper ceiling/wall rose. For use when there is no space in the existing ceiling/wall cavity	220 - 240V