

ROMA PENDANT

FINISH

bronze with honed alabaster stone
satin brass with honed alabaster stone

DIMENSIONS (body of fixture)

ø 1010 x 190 mm (dia x h)

WEIGHT

7.5kg (16.5lbs)
please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 345 mm
maximum on request 6215 mm
supplied with 1000 mm drop rod

ILLUMINATION

220-240v - integrated mains LED - 45w - 2700K
110-130v - integrated mains LED - 45w - 2700K


DIMMING

trailing dimmable / phase cut (rotary dimmer) - standard
* DALI option available (220-240v only), see next page

CEILING ROSE / PLATE

round ceiling rose - ø 116 x 25 mm (dia x h)

CERTIFICATION



*Diagrams are not to scale.

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
ROMPEOBZHA-240	bronze with honed alabaster stone	220 - 240V
ROMPEOSBHA-240	satin brass with honed alabaster stone	220 - 240V
ROMPEOBZHA-110	bronze with honed alabaster stone	110 - 130V
ROMPEOSBHA-110	satin brass with honed alabaster stone	110 - 130V

ROMA PENDANT - DALI-A

FINISH

bronze with honed alabaster stone
satin brass with honed alabaster stone

DIMENSIONS (body of fixture)

ø 1010 x 190 mm (dia x h)

WEIGHT

7.5kg (16.5lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 345 mm

maximum on request 6215 mm

supplied with 1000 mm drop rod

ILLUMINATION

220-240v - integrated mains LED - 45w - 2700K

DALI converter to be installed in the ceiling cavity

converter can be placed up to 2m away from the light fixture


DIMMING

DALI compatible

CEILING ROSE / PLATE

round ceiling rose - ø 116 x 25 mm (dia x h)

CERTIFICATION



*Diagrams are not to scale.

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
ROMPEOBZHA-DALIA-240	bronze with honed alabaster stone	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V
ROMPEOSBHA-DALIA-240	satin brass with honed alabaster stone	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V

ROMA PENDANT - DALI-B

FINISH

bronze with honed alabaster stone
satin brass with honed alabaster stone

DIMENSIONS (body of fixture)

ø 1010 x 190 mm (dia x h)

WEIGHT

7.5kg (16.5lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 355 mm

maximum on request 6225 mm

supplied with 1000 mm drop rod

ILLUMINATION

220-240v - integrated mains LED - 45w - 2700K

DALI converter to be installed in the ceiling rose



DIMMING

DALI compatible


CEILING ROSE / PLATE

round ceiling rose - ø 140 x 35 mm (dia x h)

CERTIFICATION



mounting plate dimensions



*Diagrams are not to scale.

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
ROMPEOBZHA-DALIB-240	bronze with honed alabaster stone	DALI B included - The light will feature a deeper ceiling/wall rose. For use when there is no space in the existing ceiling/wall cavity	220 - 240V
ROMPEOSBHA-DALIB-240	satin brass with honed alabaster stone	DALI B included - The light will feature a deeper ceiling/wall rose. For use when there is no space in the existing ceiling/wall cavity	220 - 240V